CLAIMS

1. Silk thread containing spider thread protein, characterized by being produced by a transgenic silkworm possessing a pair of fibroin H chain genes.

5

15

20

- 2. Silk thread containing spider thread protein according to claim 1, characterized in that said silk thread essentially retains the basic structure of silk thread fibroin H chain protein.
- 3. Silk thread according to claim 1 or 2, characterized in that the spider thread protein is dispersed in the fibroin protein.
 - 4. Silk thread according to any one of claims 1 to 3, characterized in that the spider thread protein is fused with a polypeptide contained in the fibroin H chain protein.
 - 5. Silk thread according to claim 4, characterized in that the spider thread protein is inserted between the N-terminal portion and C-terminal portion of the fibroin H chain protein, and is disulfide bonded with the fibroin L chain protein via a cysteine contained in the C-terminal portion.
 - 6. Silk thread according to any one of claims 1 to 5, wherein the spider thread protein content is 0.1-25 wt%.
 - 7. Silk thread according to claim 6, wherein the spider thread protein content is 1-15 wt%.
 - 8. Silk thread according to claim 7, wherein the spider thread protein content is 1-10 wt%.

- 9. Silk thread according to any one of claims 1 to 8, characterized in that the spider thread protein includes the peptide listed as SEQ ID NO: 1, or the peptide listed as SEQ ID NO: 1 with a deletion, substitution or addition of one or more amino acids and having the properties of spider thread protein.
- 10. Silk thread according to claim 9, characterized by comprising spider thread protein with 3-30 repeats of the peptide of claim 9.
- 11. Silk thread according to claim 10, characterized by comprising spider thread protein with 4-16 repeats of the peptide of claim 9.

5

15

- 12. Silk thread according to any one of claims 1 to 8, characterized in that the spider thread protein includes the peptide listed as SEQ ID NO: 2, or the peptide listed as SEQ ID NO: 2 with a deletion, substitution or addition of one or more amino acids and having the properties of spider thread protein.
- 13. Silk thread according to claim 12, characterized by comprising spider thread protein with 3-30 repeats of the peptide of claim 12.
 - 14. Silk thread according to claim 13, characterized by comprising spider thread protein with 4-16 repeats of the peptide of claim 12.
- 25 .15. Silk thread according to any one of claims 1 to 8, characterized in that the spider thread protein

contains both the peptide according to claim 9 and the peptide according to claim 12.

5

- 16. Silk thread according to any one of claims 5 to 15, characterized in that the C-terminal portion of the fibroin H chain protein fused with the spider thread protein is the peptide of SEQ ID NO: 3 or the peptide of SEQ ID NO: 3 having a deletion, substitution or addition of one or more amino acids and having 2 or 3 cysteines.
- 17. Silk thread according to any one of claims 510 16, characterized in that the N-terminal portion of the
 fibroin H chain protein fused with the spider thread protein
 is the peptide of SEQ ID NO: 4 or the peptide of SEQ ID NO:
 4 having a deletion, substitution or addition of one or more
 amino acids, and is a peptide such that the gene coding for
 15 said peptide retains the function of enhancing promoterdependent exogenous protein expression.
 - 18. Silk thread according to any one of claims 1 to 17, wherein the spider thread protein is not fused to a selection marker protein.
- 19. A transgenic silkworm possessing a pair of fibroin H chain genes and producing silk thread according to any one of claims 1 to 18 wherein the gene coding for spider thread protein is transferred into a region other than the pair of fibroin H chain genes.
 - 20. A transgenic silkworm according to claim 19, characterized by having a fibroin H chain gene promoter for

expression of spider thread protein in the gene recombinant silkworm.

21. A transgenic silkworm according to claim 19, characterized by having a fibroin H chain gene promoter and its upstream region for expression of spider thread protein in the gene recombinant silkworm.

5

10

- 22. A transgenic silkworm according to claim 20 or 21, characterized in that the entirety or a portion of the full-length first exon·first intron·second exon region of the fibroin H chain gene is linked downstream from the fibroin H chain promoter.
- 23. A method for producing a transgenic silkworm according to any one of claims 19 to 22, which utilizes a transposon.
- 24. A method for producing a transgenic silkworm according to claim 23, characterized in that the transposon is piggyBac transposon.
 - 25. A method for producing silk thread characterized by using a transgenic silkworm according to any one of claims 19 to 22.
 - 26. A textile employing silk thread according to any one of claims 1 to 18.